CLAIM AMENDMENTS

Claim Amendment Summary

Claims pending

• Before this Amendment: Claims 1-36.

• After this Amendment: Claims 1-36.

Non-Elected, Canceled, or Withdrawn claims: none.

Amended claims: none.

New claims: none



Claims:

1. (Original) A method comprising:

receiving a plurality of temporally non-contiguous portions of a streaming media file, at least a first and a second of the non-contiguous portions being encoded at different

bit rates: and

storing the plurality of temporally non-contiguous portions in a single cache file.

2. (Original) A method as defined in claim 1, wherein the first and second

non-contiguous portions comprise video data.

3. (Original) A method as defined in claim 1, wherein the first and second

non-contiguous portions comprise video data and wherein a third non-contiguous portion

comprises audio data.

4. (Original) A method as defined in claim 1, wherein the cache file is

stored in non-volatile memory.

5. (Original) A method as defined in claim 1, wherein the act of storing

comprises:

creating a plurality of media cache streams, each media cache stream being

associated with a unique bit rate;

storing the first non-contiguous portion in a media cache stream associated

with the bit rate of the first non-contiguous portion;

lee@hayes The Business of IP **

storing the second non-contiguous portion in a media cache stream associated with

the bit rate of the second non-contiguous portion; and

storing the media cache streams in the cache file.

6. (Original) A method as defined in claim 1, wherein the act of storing

comprises:

creating a first media cache stream associated with the bit rate of the first

non-contiguous portion;

storing the first non-contiguous portion in a media cache segment of the

first media segment stream;

creating a second media cache stream associated with the bit rate of the

second non-contiguous portion;

storing the second non-contiguous portion in a media cache segment of the

second media cache stream:

creating a byte cache index segment and a byte cache data segment for each

media cache segment; and

storing the byte cache index segments and the byte cache data segments in

the cache file.

7. (Original) A method comprising:

creating a plurality of media cache streams, each media cache stream being

associated with a unique bit rate:

receiving a plurality of portions of a streaming media file, each portion being

associated with a unique temporal section of the streaming media file;

lee@hayes The Business of IP "

storing each portion in a media cache segment of a media cache stream associated

with a bit rate at which the portion was encoded, at least two of the portions being stored

in media cache segments in different media cache streams;

storing each of the media cache streams in a single cache file.

8. (Original) A method as defined in claim 7, wherein the act of storing

comprises:

creating a byte cache index segment and a byte cache data segment for each media

cache segment; and

storing the byte cache index segments and the byte cache data segments in the

cache file.

9. (Original) A method as defined in claim 7, wherein the act of storing

comprises:

creating a byte cache index segment and a byte cache data segment for each

segment; and

serializing the byte cache index segments and the byte cache data segments in the

cache file.

10. (Original) A method as defined in claim 7, wherein the cache file is

stored in a non-volatile manner.

11. (Original) A system comprising:

a data storage module;

lee@hayes the Business of IP **

a caching module operable to receive and store a plurality of temporally non-

contiguous portions of a streaming media file in a cache file in the data storage module,

two or more of the plurality of temporally non-contiguous portions being encoded at

different bit rates.

12. (Original) A system as defined in claim 11, wherein the data storage

module comprises a non-volatile data storage device.

13. (Original) A system as defined in claim 11, further comprising:

a processor; and

wherein the caching module comprises processor executable code.

14. (Original) A system as defined in claim 11, wherein the caching module

comprises:

a media cache module operable:

to store each of the plurality of temporally non-contiguous portions as a

media cache segment in one of a plurality of media cache streams; and

parse each media cache segment into a byte cache index segment and a byte

cache data segment.

15. (Original) A system as defined in claim 11, wherein the caching module

comprises:

a media cache module operable to:

lee@hayes The Business of IP **

store each of the plurality of temporally non-contiguous portions as a media

cache segment in one of a plurality of media cache streams, each media cache

stream being associated with a different bit rate; and

parse each media cache segment into a byte cache index segment and a byte

cache data segment; and

a byte cache module operable to store the byte cache index segments and the byte

cache data segments in the cache file.

16. (Original) A system as defined in claim 11, wherein the caching module

comprises:

a media cache module operable to:

create a plurality of media cache streams, each media cache stream being

associated with a unique bit rate; and

store each temporally non-contiguous portion as a media cache segment in

a media cache stream associated with a bite rate at which the temporally non-

contiguous portion was encoded; and

parse each media cache segment into a byte cache index segment and a byte

cache data segment; and

a byte cache module operable to:

store the byte cache index segments and the byte cache data segments in the

cache file.

17. (Original) A system as defined in claim 11, wherein the two or more of

the plurality of temporally non-contiguous portions include a first video portion encoded

lee@hayes The Business of IP?

at a first bit rate, a second video portion encoded at a second bit rate, and an audio

portion, and wherein the first video portion, the second video portion, and the audio

portion are stored in different media cache streams.

18. (Original) A system as defined in claim 11, wherein:

the streaming media file includes different data types; and

the caching module is operable to:

create a plurality of media cache streams, each media cache stream being

associated with a streamed media data type and a streamed media encoded bit rate;

store each temporally non-contiguous portion of received streamed media

data in a media cache stream associated with the streamed media data type and a

streamed media encoded bit rate of the temporally non-contiguous portion; and

store the media cache streams in the cache file.

19. (Original) A system as defined in claim 11, wherein:

the streaming media file includes different data types; and

the caching module is operable to:

create a plurality of media cache streams, each media cache stream being

associated with a streamed media data type and a streamed media encoded bit rate;

and

store each temporally non-contiguous portion of received streamed media

data as a media cache segment in a media cache stream associated with the

streamed media data type and a streamed media encoded bit rate of the temporally

non-contiguous portion;

Serial No.: 10/632,767 Atty Docket No.: MS1-1541US Atty/Agent: Ningning Xu lee@hayes The Business of IP*

parse each media cache segment into a byte cache index segment

and a byte cache data segment; and

store the byte cache index segments and the byte cache data

segments in the cache file.

20. (Original) A system as defined in claim 11, wherein the caching module

is operable to:

store each of the plurality of temporally non-contiguous portions as a media cache

segment in one of a plurality of media cache streams;

create a segment/stream map specifying the media cache segment and stream in

which each temporally non-contiguous portion is stored; and

parse each media cache segment into a byte cache index segment and a byte cache

data segment.

21. (Original) A computer-readable medium having computer-executable

instructions for performing acts comprising:

storing at a client a plurality of temporally non-contiguous portions of a streaming

media file received from a streaming media source in a cache file, each of the plurality of

temporally non-contiguous portions being encoded at a different bit rate.

22. (Original) A computer-readable medium as defined in claim 21, wherein

the act of storing comprises:

receiving a first video portion of the streaming media file encoded at a first bit

rate;

storing the first video portion in a media cache video stream associated with the

first bit rate;

receiving a second video portion of the streaming media file encoded at a second

bit rate:

storing the second video portion in a media cache video stream associated with the

second bit rate:

receiving a first audio portion of the streaming media file;

storing the first audio portion in a media cache audio stream; and

storing the audio and video media cache streams in a cache file.

23. (Original) A computer-readable medium as defined in claim 21, wherein

the act of storing comprises:

receiving a first video portion of the streaming media file encoded at a first bit

rate;

storing the first video portion in a media cache video stream associated with the

first bit rate;

receiving a second video portion of the streaming media file encoded at a second

bit rate:

storing the second video portion in a media cache video stream associated with the

second bit rate:

receiving a third video portion of the streaming media file encoded at a first bit

rate, the a third video portion being temporally non-contiguous from the first video

portion;

Serial No.: 10/632,767 Atty Docket No.: MS1-1541US

Atty/Agent: Ningning Xu

lee@hayes The Business of IP "

storing the third video portion in the media cache video stream associated with the

first bit rate;

receiving a first audio portion of the streaming media file; and

storing the first audio portion in a media cache audio stream; and $% \left(1\right) =\left(1\right) \left(1\right)$

storing the audio and video media cache streams in a cache file.

24. (Original) A computer-readable medium as defined in claim 21, wherein

the act of storing comprises:

storing each of the temporally non-contiguous portions in a unique media cache

segment;

forming at least two byte cache segments from each media cache segment; and

storing the byte cache segments in the cache file.

25. (Original) A computer-readable medium as defined in claim 21, wherein

the act of storing comprises:

storing each of the temporally non-contiguous portions in at least two byte cache

segments; and

storing the byte cache segments in the cache file.

26. (Original) A computer-readable medium having stored thereon a data

structure, comprising:

a plurality of data pages including data representing a plurality of temporally non-

contiguous portions of a streaming media file received from a streaming media source, at

least two of the temporally non-contiguous portions being encoded at different bit rates.

lee@hayes The Business of IP ~

27. (Original) A computer-readable medium having stored thereon a data

structure, comprising:

a plurality of data pages storing one or more byte cache segments, each byte cache

segment being derived from a temporally non-contiguous portion of a streaming media

file, at least two of the temporally non-contiguous portions being encoded at different bit

rates: and

a header page including information that describes one or more characteristics of

the data pages.

28. (Original) A computer-readable medium as defined in claim 27, wherein

the header page includes a plurality of cache file control records, each cache file control

record including information describing the location of a single byte cache segment the

data pages.

29. (Original) A computer-readable medium as defined in claim 27, wherein

the header page includes a plurality of cache file control records, each cache file control

record including information describing a location of a single byte cache segment within

the data pages and information indicating a number of pages including the single byte

cache record.

30. (Original) A computer-readable medium as defined in claim 27, wherein

the header page includes a plurality of cache file control records, each cache file control

lee@hayes The Business of IP **

record including information describing a beginning and an ending point of a single byte

cache segment within the data pages.

31. (Original) A computer-readable medium as defined in claim 27,

wherein:

the header page includes a plurality of cache file control records; and

at least one cache file control record includes an array including the location of

each page within the cache file.

32. (Original) A computer-readable medium as defined in claim 27,

wherein:

the header page includes a plurality of cache file control records; and

at least one cache file control record includes information indicating a page

containing a beginning of a single byte cache segment and an index specifying a

beginning of the single byte cache segment within the page.

33. (Original) A computer-readable medium as defined in claim 27,

wherein:

the header page includes a plurality of cache file control records; and

at least one cache file control record includes information defining a beginning

and ending locations of a single byte cache segment in the data pages.

34. (Original) A computer-readable medium as defined in claim 27, wherein

the header page includes a plurality of cache file control records, each cache file control

record being associated with a single byte cache segment, each cache file control record

identifying a predetermined number of pages including at least a portion of the byte cache

segment associated with the cache file control record, each cache file control record

including a pointer to a page including information identifying a predetermined number

of pages other than the predetermined number of pages including at least a portion of the

byte cache segment associated with the cache file.

35. (Original) A computer-readable medium as defined in claim 27, wherein

the header page includes:

a predetermined number of cache file control records, each cache file control

record including information describing the location of a single byte cache segment in the

data pages; and

a pointer to a cache file control record extension page including cache file control

records other than the predetermined number of cache file control records.

36. (Original) A system comprising:

means for receiving a plurality of temporally non-contiguous portions of a

streaming media file, at least two of the plurality of temporally non-contiguous portions

being encoded at a different bit rate; and

means for associating and storing the plurality of temporally non-contiguous

portions in a data structure.

lee@hayes The Business of IP?

Serial No.: 10/632,767 Atty Docket No.: MS1-1541US Atty/Agent: Ningning Xu